



DRAFT




PERIMETER COMMUNITY IMPROVEMENT DISTRICTS

PUBLIC SPACE GUIDELINES
2023




PLAN VIEW
NTS

CROSSWALKS SHALL BE A MINIMUM OF 8 FEET WIDE. 12 FEET IS RECOMMENDED AT HIGHER PEDESTRIAN TRAFFIC LOCATIONS, SUCH AS TRANSIT STATIONS. MATERIAL TO BE METHYL METHACRYLATE (REFERENCE APPENDIX FOR OPTIONS). COLOR IS TO BE RED.



SIDE VIEW
NTS



MMA PAINT CROSSWALK OPTIONS

PREFERRED OPTION

TRANPO INDUSTRIES

Model: COLOR-SAFE® CROSSWALKS
Pattern: Transverse with Double
Paired
Color: Red Base with White
Striping

20 Jones Street
New Rochelle, NY 10801
P: 914-636-1000
W: Transpo.com



ENNIS FLINT

Model: MMAX Colored Lane
Treatment
Pattern: Transverse with Double
Paired
Color: Transit Red with White
Striping

4161 Piedmont Parkway, Suite 370
Greensboro, NC 27410
P: 1-800-331-8118
W: ennisflint.com



PAVING OPTIONS

PREPARED



PAVESTONE

Holland Parkway Series
Color: Old Town Blend
2-3/8" x 7-7/8" x 3-15/16"

169 Peggy Lane
Tyrone, Georgia 30290
P: 770.306.9691



BELGARD

Hollandtone
Color: Georgia Blend
2-3/8" x 7-7/8" x 3-15/16"

Georgia Masonry Supply
125 Industrial Park Circle
Lawrenceville, GA 30046
P: 844-495-8210
E: Aaron Faubli: aaron.faubli@oldcastle.com



MUTUAL MATERIALS

Holland
Color: Harvest Blend
2-3/8" x 7-7/8" x 3-15/16"

Mutual Materials
605 - 119th Avenue NE
Bellevue, Washington 98005
P: 425-452-2300

Alley-Cassetty Brick
1115 Southern Road
Morrow, GA 30260
P 770-961-4477
W: www.alley-cassetty.com

MAST ARM SIGNAL POLE OPTIONS

PREFERRED OPTION



VALMONT INDUSTRIES

Fluted 30' height; 19' signal arm mount, 29'6" light arm mount

Light Arm and Attachment: Valmont
Paramount 8" span

Color: "Dark Green" by Valmont Industries

NOTE: Base must be flush with top of pavers/
hardscape

One Valmont Plaza
Omaha, Nebraska 68154 USA
P: 1-402-963-1000
E: investor_relations@valmont.com



UNION METAL

Fluted 30' height; 19' signal arm mount, 29'6" light arm mount

Light Arm and Attachment:
Shakespeare Composite

Structures OPDR-18 8" span

Color: to match "Dark Green" by
Valmont Industries

NOTE: Base must be flush with top of
pavers/hardscape

Union Metal Corporation
1432 Maple Ave NE Canton, OH 44705



VSI SALES, INC.

Fluted, 30' height; 19' signal arm mount, 29'6" light arm mount

Finish: to match "Dark Green" by
Valmont Industries

NOTE: Base must be flush with top of
pavers/hardscape

P.O. Box 135
Cecilia, KY 42724
P: 1 270 900 0020
E: jfehrenbach@vsisales.com.

MAST ARM LIGHT OPTIONS

PREFERRED OPTION

HOLOPHANE

MPL-4: Memphis Tear Drop Fixture-
Standard; LED
Arm Fitter: BHLF-200-SCA-GN Color:
to match "Dark Green" by Valmont
Industries

Russ Lowe, Regional Sales VP
Orlando, FL 32819
P: 855-898-8038

E: SoutheastSalesSupport@holophane.com



KING LUMINAIRE

K833- SOLITAIRE LED
Utility Fitter: BHLF-200-SCA-GN Color:
to match "Dark Green" by Valmont
Industries

9200 Energy Lane
Northport, AL, 35476-3442
P: (800) 435-6563
E: sales@stresscrete2.com



SENTRY ELECTRIC


SBCA3-LED Bishops Crook-A3 Arm
Fitter: BHLF-200-SCA-GN
Finish: to match "Dark Green" by
Valmont Industries

185 Buffalo Avenue
Freeport, New York 11520-4707
P: 516.379.4660
E: info@sentrylighting.com



MAST ARM SKIRT OPTIONS

PREFERRED OPTION




SPRING CITY ELEC. MFG. COMPANY

Model: WBNRT-27 Steel

Color: to match "Dark Green" by Valmont Industries with PCIDs logo

NOTE: Base must be flush with top of pavers/hardscape

Spring City Electrical Manufacturing Company
One South Main Street
Spring City, PA 19475
P: (610) 948-4000



WHATLEY

Model: D9L-Decorative Base

Color: to match "Dark Green" by Valmont Industries with PCIDs logo

NOTE: Base must be flush with top of pavers/hardscape

Whatley: Valmont Composite Structures, Inc.
19845 U.S. Highway 76
Newberry, SC 29108 USA
P: 803.276.5507



VALMONT INDUSTRIES

Huntington 3L Enduro- Clamshell

Model: 3L02EC

Finish: to match "Dark Green" by Valmont Industries

NOTE: Base must be flush with top of pavers/hardscape

One Valmont Plaza
Omaha, Nebraska 68154 USA
P: 1-402-963-1000
E: investor_relations@valmont.com

STREET LIGHT LUMINAIRE OPTIONS

PREFERRED OPTION

HOLOPHANE

MPL-4: Memphis Tear Drop Fixture-
Standard; LED
Arm Fitter: BHLF-200-SCA-GN Color:
to match "Dark Green" by Valmont
Industries

Russ Lowe, Regional Sales VP
Orlando, FL 32819
P: 855-898-8038

E: SoutheastSalesSupport@holophane.com



KING LUMINAIRE

K833- SOLITAIRE LED
Utility Fitter: BHLF-200-SCA-GN Color:
to match "Dark Green" by Valmont
Industries

9200 Energy Lane
Northport, AL, 35476-3442
P: (800) 435-6563
E: sales@stresscrete2.com



02

SENTRY ELECTRIC

SBCA3-LED Bishops Crook-A3 Arm
Fitter: BHLF-200-SCA-GN
Finish: to match "Dark Green" by
Valmont Industries


185 Buffalo Avenue
Freeport, New York 11520-4707
P: 516.379.4660
E: info@sentrylighting.com



03

STREET LIGHT POLE OPTIONS

PREFERRED OPTION



HAPCO

Aluminum Poles Base Mounted
30' Mounting Height
Fluted: Octoflute
Color: to match "Dark Green" by Valmont Industries

NOTE: Base must be flush with top of pavers/hardscape

26252 Hillman Highway
Abingdon, VA 24210
P: 800-368-7171

02



VALMONT

Aluminum Poles Base Mounted
30' Mounting Height
Fluted: 8-Sharp
Color: "Dark Green" by Valmont Industries

NOTE: Base must be flush with top of pavers/hardscape

One Valmont Plaza
Omaha, Nebraska 68154 USA
P: 1-402-963-1000
E: investor_relations@valmont.com

03



THE STRESSCRETE GROUP

Aluminum Poles Base Mounted
25' Mounting Height
The Cleveland , FF Fluted Tapered
Model: KM19
Finish: to match "Dark Green" by Valmont Industries

NOTE: Base must be flush with top of pavers/hardscape

9200 Energy Lane
Northport, AL, 35476-3442
P: (800) 435-6563
E: sales@stresscrete2.com

PEDESTRIAN LIGHT LUMINAIRE OPTIONS

PREFERRED OPTION

COOPER

Generation ACN Post Top Fixtures
LED Series
Color: to match "Dark Green" by
Valmont Industries

Eaton Center
1000 Eaton Boulevard
Cleveland, Ohio 44122
P: 1-800-386-1911



HOLOPHANE

Granville Fixture Trip: Syracuse
Granville II LED Series
Color: to match "Dark Green" by Valmont
Industries

Russ Lowe, Regional Sales VP
Orlando, FL 32819
P: 855-898-8038
E: SoutheastSalesSupport@holophane.com



NEPTUNE LIGHTING


LED - Post Top Acorn Fixtures-94xxx
Series
LED Series
Finish: to match "Dark Green" by
Valmont Industries

1 3950 W. Business Center Dr.
Lake Forest, IL 60045
P: 847.735.8330
W: www.neptunlight.com



PEDESTRIAN LIGHT POLE OPTIONS

PREFERRED OPTION




HAPCO

York Series Fluted; Y7S 17" base
12' Mounting Height
Color: to match "Dark Green" by Valmont Industries

NOTE: Base must be flush with top of pavers/hardscape (tolerance: 1")

26252 Hillman Highway
Abingdon, VA 24210
P: 800-368-7171



SPRING CITY ELEC. MFG. COMPANY

Northampton Pole: SBNH16.5-W Steel
12' Mounting Height
Color: to match "Dark Green" by Valmont Industries

NOTE: Base must be flush with top of pavers/hardscape (tolerance: 1")

Spring City Electrical Manufacturing Co
One South Main Street
Spring City, PA 19475
P: (610) 948-4000



VALMONT INDUSTRIES

Huntington Series
12' Mounting Height
17" base
Finish: to match "Dark Green" by Valmont Industries

NOTE: Base must be flush with top of pavers/hardscape (tolerance: 1")

One Valmont Plaza
Omaha, Nebraska 68154 USA
P: 1-402-963-1000
E: investor_relations@valmont.com


PEDESTRIAN SIGNAL POST OPTIONS

PREFERRED OPTION

HAPCO

York Series Fluted
10' Mounting Height
Color: to match "Dark Green" by Valmont Industries
NOTE: Base must be flush with top of pavers/hardscape (tolerance: 1")

26252 HILLMAN HIGHWAY
Abingdon, VA 24210
P: 800-368-7171



SPRING CITY ELEC. MFG. CO

Northampton Pole ; Model: SBNH16.5-W
Steel
12' Mounting Height
Color: to match "Dark Green" by Valmont Industries
NOTE: Base must be flush with top of pavers/hardscape (tolerance: 1")


Spring City Electrical Manufacturing CoOne
South Main Street, Spring City, PA 19475, P: (610)
948-4000



VALMONT INDUSTRIES

Huntington Series
12' Mounting Height
17" base
Finish: to match "Dark Green" by Valmont Industries
NOTE: Base must be flush with top of pavers/hardscape (tolerance: 1")

One Valmont Plaza
Omaha, Nebraska 68154 USA
P: 1-402-963-1000
E: investor_relations@valmont.com



ILLUMINATED SIGN OPTIONS



•Double-Faced •Illuminated •Font: Myriad Pro • Font Color: White •Frame Color: Black

PREFERRED OPTION**SOUTHERN MANUFACTURING**

LED Illuminated Street Sign
19" Height 48"/72"/96" Width
PCIDs Logo- Left Side
With PCIDs Logo

2000 E. Lake Mary Blvd
Sanford, FL 32773
P: 407.894.8851

**MCCAIN, INC.**

LED Illuminated Street Sign
19" Height 48"/72"/96" Width
PCIDs Logo- Left Side
With PCIDs Logo

McCain, Inc.
2365 Oak Ridge Way
Vista, CA 92081
P: 888-262-2246
E: info@mccain-inc.com

**DURALIGHT**

Product Model: LED Street Name Sign
Product Name: LED Street Name Sign (ILSNS)
19" Height 48"/72"/96" Width
PCIDs Logo- Left Side
With PCIDs Logo

Paradigm Traffic Systems, Inc.
2201 E. Division Street
Arlington, TX 76011
P: 817.831.9406

TRASH RECEPTACLE OPTIONS

LANDSCAPE FORMS

Presidio Collection

PD5001-26-30

Surface Mount

Finish: Black Powercoat

7800 E Michigan Ave, Kalamazoo, MI 49048

P: (800) 430-6209

E: specify@landscapeforms.com

PREFERRED OPTION



FAIRWEATHER SITE

Furnishings & Accessories

TR-14 (without rain shield)

Finish: Black

1540 Leader International Drive

Port Orchard, WA 98367

P: 800-323-1798



BELSON OUTDOORS

Oakley Collection

Model M3601-SQ-FT

Finish: Black Powercoat

111 North River Road

North Aurora, IL 60542

P: (630) 897-8489

E: sales@belson.com



BENCH OPTIONS

PREFERRED OPTION



LANDSCAPE FORMS

Presidio Collection

PD3001-BS-22

Finish: Black Powercoat

7800 E Michigan Ave, Kalamazoo, MI 49048

P: (800) 430-6209

E: specify@landscapeforms.com



DUMOR SITE FINISHES

Bench 137

Finish: Black Powercoat

P.O. Box 489

Flowery Branch, GA 30542

P: 770-965-4042

E: sales@hasley-recreation.com



ULTRA-PLAY

Palmetto Outdoor 3 Seat Bench

Stock #43388

Finish: Powdercoat Black (BK)

UltraPlay PlaySystems

1675 Locust Street

Red Bud, IL 62278

(800) 458-5872

FENCING OPTIONS

AMERISTAR

Montage II Classic
3 Rail
Finish: Black Powdercoat

NOTE: 4' height shall be standard.
6' height may be used if approved by
PCIDs.

1555 N. Mingo Rd
Tulsa, OK 74116
P: 888-333-3422
E: region4fax@ameristarfence.com

PREFERRED OPTION




ULTRA FENCING

UAS-101
Spear Top with 1-1/2" Spacing
Finish: Black Powdercoat

NOTE: 4' height shall be standard.
6' height may be used if approved by
PCIDs.

2124 Grand Commerce Drive
Howell, MI 48855
P: 517-548-6755




FENCETOWN

Model: Specrail Bennington with
Spear Tops
Aluminum Fence
Finish: Black Powercoat

NOTE: 4' height shall be standard.
6' height may be used if approved by
PCIDs.

8465 West Sahara Ave 111-124, Las Vegas, NV
89117
P: (888) 336-2386



RETAINING WALL OPTIONS

PREFERRED OPTION



INDIAN CREEK STONE

Model: CRL7. Old Gothic

Material: Indiana Limestone

NOTE: Random ashlar pattern stones sized between 9" and 24"; Available in Full bed depth and Natural Thin Veneer.

Mailing Address: P.O. Box 96
Huron, Indiana 47437
Ph. 812-849-4808; Fax 812-849-4046
Email: indiancreekstone@earthlink.net



KEYSTONE

Standard

Straight with cap stone

Color: Tan or Brown (or as a Face/Veneer)

Other acceptable materials:
Tennessee Fieldstone Drystack

Georgia Masonry Supply
125 Industrial Park Circle
Lawrenceville, GA 30045
P: (770) 963-5888

BRIDGE RAILING

SOLE OPTION

GEORGIA DOT “TEXAS RAIL”

Solid panel with depressed panels

Specifications and design drawings provided by Georgia DOT from the Office of Bridge Design.

Georgia Department of Transportation
600 West Peachtree St NW, Atlanta, GA
30308
P:(404) 631-1990



PRODUCT STANDARDS

Stamped Asphalt Options

(2011, December 01). streetprintcrosswalkinhartsville2 [digital image]. Retrieved from <https://myasphalt.files.wordpress.com/2011/12/streetprintcrosswalkinhartsville2.jpg>

(2012, December 22). 2e6c6464975353152e2ecaea544013b7 [digital image]. Retrieved from <https://s-media-cache-ak0.pinimg.com/736x/2e/6c/64/2e6c6464975353152e2ecaea544013b7.jpg>

Pattern Paving (Photographer). (2014, February 25). herringbonelarge [digital image]. Retrieved from <http://www.patternpaving.com/img2/stamped/cable/herringbone/herringbonelarge.jpg>

Paving and Pedestrian Plaza Options

Keller Material (Photographer). (2015, March 19). PS Holland 45mm Pavers Old Town Blend [digital image]. Retrieved from http://www.kellermaterial.com/pavers/ps_holland_45mm_oldtownblend.html

Belgard (Photographer). Holland Stone Pavers & Stones: Modular Pavers from Belgard [digital image]. Retrieved from http://www.belgard.com/products/pavers/holland_stone

Mutual Materials (Photographer). (2010, June 09). PaverColor-Autumn [digital image]. Retrieved from <http://www.mutualmaterials.com/sites/default/files/PaverColor-Autumn-M.jpg>

Mast Arm Signal Pole Options

Union Metal (Photographer). Traffic Signal Poles from Union Metal [digital image]. Retrieved from <http://www.unionmetal.com/products/trafficcontrol.asp>

VSI Sales (Photographer). (2016). VSI Sales, LLC [digital image]. Retrieved from http://www.vsisales.com/traffic_poles.asp

Mast Arm and Street Light & Street Light Luminaire Options

Holophane (Photographer). Holophane Lighting [digital image]. Retrieved from <http://www.holophane.com/Products/Family.asp?Brand=HLP&Family=Teardrop%20LED&ProductType=Outdoor&Category=Decorative>

Stresscrete Group (Photographer). (2015, November 24). K833 Specification SheetV2 [digital image]. Retrieved from http://www.stresscretegroup.com/StressCreteGroup/media/productdownloads/outdoor_decorative_luminaires/pendants/K800%20Series/K833-Specification-SheetV2.pdf

Sentry Lighting (Photographer). SBCA3 Bishops Crook-A3 Pendants - Sentry Electric [digital image]. Retrieved from <http://www.sentrylighting.com/sbca-bishops-crook-a-178.html>

Mast Arm Skirt Options

Spring City Electrical Mfg (Photographer). (2016, March 17). WBNRT [digital image]. Retrieved from http://www.springcity.com/files/PDF/Posts/Traffic%20Bases%20Posts/Northampton/_WBNRT-27.pdf

Whatley (Photographer). D9L Decorative Base [digital image]. Retrieved from <http://www.whatley.com/whatley/whatley/products/base-covers-shrouds/large-base-covers/d9l-decorative-base>

(2015, June 09). huntington3l [digital image]. Retrieved from [http://az276019.vo.msecnd.net/valmontstaging/vsna-specification-pages/huntington3l-enduroclmshl-\(spc7617\).pdf?sfvrsn=2](http://az276019.vo.msecnd.net/valmontstaging/vsna-specification-pages/huntington3l-enduroclmshl-(spc7617).pdf?sfvrsn=2)

Street Light Pole Options

Hapco (Photographer). (2016). Hapco - Aluminum and Steel Light Poles [digital image]. Retrieved from http://www.hapco.com/products.php?view=poles&style=Y7S&basestyle=York,_17_in,_1_piece_structural

Valmont (Photographer). (2013, November 01). huntington-smooth-alum-post [digital image]. Retrieved from [http://az276019.vo.msecnd.net/valmontstaging/vsna-specification-pages/huntington-smooth-alum-post-\(spc7293\).pdf?sfvrsn=2](http://az276019.vo.msecnd.net/valmontstaging/vsna-specification-pages/huntington-smooth-alum-post-(spc7293).pdf?sfvrsn=2)

Stresscrete Group (Photographer). (2016). Stresscrete Group - The Cleveland [digital image]. Retrieved from <http://www.stresscretegroup.com/Products/Metal-Poles/Aluminum-Poles/The-Cleveland.aspx>

Pedestrian Light Luminaire Options

Cooper Industries (Photographer). (2016, January 22). ACN/ARC/CLB Generation Series HID/LED [digital image]. Retrieved from http://www.cooperindustries.com/content/public/en/lighting/products/post_top_lighting/_182876.ssd.html

Acuity Brands Lighting (Photographer). (2013, December 10). HL-2474 [digital image]. Retrieved from <http://www.acuitybrandslighting.com/library/HLP/documents/OtherDocuments/HL-2474.pdf>

Neptun (Photographer). (2016). LED - Post Top Acorn Fixtures [digital image]. Retrieved from <http://www.neptunlight.com/productdetails/62/129/led-post-top-acorn-fixtures-94xxx-series.html>

Pedestrian Light Pole and Pedestrian Signal Post Options

Spring City Electrical Mfg (Photographer). (2016). Spring City Electrical | Posts [digital image]. Retrieved from <http://www.springcity.com/product-listing-sub/51>

(2012, November 01). huntington-smooth-alum-post [digital image]. Retrieved from [http://az276019.vo.msecnd.net/valmontstaging/vsna-specification-pages/huntington-smooth-alum-post-\(spc7293\).pdf?sfvrsn=2](http://az276019.vo.msecnd.net/valmontstaging/vsna-specification-pages/huntington-smooth-alum-post-(spc7293).pdf?sfvrsn=2)

Hapco (Photographer). (2016). Hapco - Aluminum and Steel Light Poles - Light Pole Gallery - Decorative Poles [digital image]. Retrieved from <http://www.hapco.com/gallery.php?view=gallery&id=1>

Illuminated Sign Options

McCain, Inc. (Photographer). McCain Street Name Signs [digital image]. Retrieved from <http://www.mccain-inc.net/signs/street-name-signs/item/street-name/isns-sign.html>

LED Luminaire | LED Traffic Signal: [digital image]. Retrieved from <http://trastarusa.com/ProductShow.asp?ID=149>

Top image from PCIDs Public Standards Book, Previous Version

Trash Receptacle Options

Landscape Forms (Photographer). Presidio Litter [digital image]. Retrieved from <http://www.landscapeforms.com/en-us/product/Pages/Presidio-Litter.aspx>

Fair Weather Site Furnishings (Photographer). Model TR-14 [digital image]. Retrieved from <http://www.fairweathersf.com/product/tr-14/>

Belson Outdoors (Photographer). Oakley Series Square Trash Receptacles [digital image]. Retrieved from <http://www.belson.com/Oakley-Collection-Square-Waste-Receptacles>

Bench Options

ArchiExpo (Photographer). (2015, April 02). 9926-8490485 [digital image]. Retrieved from http://img.archiexpo.com/images_ae/photo-g/9926-8490485.jpg

Dumor (Photographer). Bench 140 | DuMor Site Furnishings [digital image]. Retrieved from <http://dumor.com/products/benches/bench-140>

Ultra Site Park Furnishings & Site Amenities (Photographer). (2017). Palmetto Bench (800) [digital image]. Retrieved from [http://www.ultra-site.com/products/palmetto_bench_\(800\).html](http://www.ultra-site.com/products/palmetto_bench_(800).html)

Fencing Options

Brookside Studios and Media Development (Photographer). (Date). Montage II Industrial and Commercial Ornamental Steel Fence | Ameristar Fence Products - Call 1.888.333.3422 [digital image]. Retrieved from <http://www.ameristarfence.com/commercial-industrial-ornamental-wrought-iron-steel-fence-montage-2>

Ultra Fence (Photographer). (2015, November 28). Ultra Product Photo Gallery [digital image]. Retrieved from <http://www.ultrafence.com/gallery.html>

Untitled [digital image]. Retrieved from <http://www.fencetown.com/fence-panels/style01.htm>

Retaining Wall Options

Versa-Lok (Photographer). (2014, June 11). VersalokStd-Desert [digital image]. Retrieved from <http://www.pavers-retainingwalls.com/2014Lampud/VersalokStd-Desert.jpg>

(2012, August 11). CompletedFieldstoneAshlar1 [digital image]. Retrieved from <http://instoneharvesting.com/images/CompletedFieldstoneAshlar1.jpg>

Pavestone (Photographer). Anchor™ Diamond Pro® Cap [digital image]. Retrieved from <http://www.pavestone.com/anchor-diamond-pro-cap/>

Indian Creek Stone (Photographer). CRL7. Old Gothic [digital image]. Retrieved from http://www.indiancreekstone.com/*widgets/gallery/detail.jspx?G=TG7048&P=TG3524289&F=/building.nxg&locale=en_US

Bridge Railing

Image from PCIDs Public Standards Book, Previous Version

Title Page

King and Queen Building Image: <https://www.flickr.com/photos/98exl/403434475>

Perimeter Mall Image: <https://perimetercid.org/>

Bicycle Image: <https://www.seattletimes.com/life/outdoors/how-bicycle-lanes-are-evolving-around-the-world/>

Walking Image: <https://www.bbc.com/future/article/20160519-what-your-walk-really-says-about-you>